



Application Number

IDS Flag Clearance for Application 10806144

**IDS  
Information**

Content	Mailroom Date	Entry Number	IDS Review	Last Modified	Reviewer
M844	2004-03-23	9	Y <input checked="" type="checkbox"/>	2006-01-31 12:49:26.0	HSawhney
<input type="button" value="Update"/>					

10/806,144 INTERFERENCE SEARCH HISTORY PRINTOUT

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	0	((auto lift light\$4) and (flat cable) and (passage hole) and (insertion hole) and (winding core) and (lever with center with connect\$4 with (ballast box))).clm.	US-PGPUB	2006/07/31 10:17

	Type	Hits	Search Text	DBs
1	BRS	3224	ceiling (light or lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	2	(ceiling (light or lamp)) and (auto\$7 lift)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	0	(ceiling (light or lamp)) and motor and ((electric\$5 cable) with (wind\$4 or wound\$4) with drum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	0	(ceiling (light or lamp)) and motor and ((electric\$5 cable) with drum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	2	(ceiling (light or lamp)) and motor and ((power cable) with drum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	21	(ceiling (light or lamp)) and motor and drum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	5	((ceiling (light or lamp)) and motor and drum) and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	326	\$6 and @ad < "20030503"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	371	(ceiling (light or lamp)) and motor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	18	(ceiling (light or lamp)) and motor and ballast	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	0	(ceiling (light or lamp)) and (height adjust\$6) and motor and ballast	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	18	(ceiling (light or lamp)) and motor and ballast	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	207	(ceiling (light or lamp)) and ballast	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	7	(ceiling (light or lamp)) and ballast and lift	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	1	(ceiling (light or lamp)) and motor and (brush electro\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
16	BRS	5523	(ceiling or overhead) (light or lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	4534	(ceiling or overhead) ((light lamp or device or apparatus or article) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	263	motor and (rotat\$3 drum) and (power cable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	BRS	35	motor and (rotat\$3 drum) and (wind\$4 with (power cable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	BRS	0	\$19 and \$17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	BRS	0	\$18 and \$17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	BRS	24	\$18 and "191"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	BRS	14	\$18 and "191"/12.2a.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
24	BRS	10	\$22 not \$23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	BRS	22	\$18 and lamp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	IS&R	1	("6846285").PN.	USPAT
27	BRS	5	("5323899"   "5531664"   "5876326"   "6036636"   "6371907").PN.	US-PGPUB; USPAT; USOCR
28	BRS	0	("6846285").URPN.	USPAT
29	BRS	602	motor and (rotat\$3 drum) and (wind\$4 with cable) and (lamp or light)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	BRS	5	motor and (rotat\$3 drum) and (wind\$4 with (power cable)) and (lamp or light)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
31	BRS	17506	(lamp or light) with lift\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
32	BRS	7	S31 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	IS&R	1	("5105349").PN.	USPAT
34	BRS	9	("2351997"   "2609170"   "3610584"   "4195332"   "4276500"   "4316238"   "4381539").PN.	US-PGPUB; USPAT; USOCR
35	BRS	6	("5105349").URPN.	USPAT
36	BRS	203	motor and ((drum) with (power cable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
37	BRS	55	motor and ((drum) with (power cable)) and (lamp or light or chandelier or (light fixture))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
38	BRS	212	191/12.2a.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	69	S38 and @ad < "20030503"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	2	((electric brush\$4) or (brush electrode)) and ((electric or power) (cord or cable or wire)) and (winder or winch) and motor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	2	((electric brush\$4) or (brush electrode)) and ((electric or power) (cord or cable or wire)) and (winder or winch or hoist) and motor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	BRS	2	((electric brush\$4) or (brush electrode)) and ((electric or power) (cord or cable or wire)) and (winder or winch or hoist)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	168	((electric brush\$4) or (brush electrode)) and ((electric or power) (cord or cable or wire))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	13	((electric brush\$4) or (brush electrode)) and ((electric or power) (cord or cable or wire)) and lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	IS&R	1	("6669135").PN.	USPAT
46	BRS	18	("1537702"   "3719331"   "3788575"   "3799005"   "3937415"   "4085904"   "4365768"   "4442984"   "4454999"   "4721833"   "4830300"   "4893037"   "5170581"   "5775473"   "5836536"   "5862885"   "6149096").PN.	US-PGPUB; USPAT; USOCR

	Type	Hits	Search Text	DBs
47	BRS	0	("6669135").URPN.	USPAT
48	BRS	110015	winch or hoist or (cable winder) or (cable reel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
49	BRS	174	(power cable winch) or (power cable hoist) or (power cable winder) or (power cable reel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
50	BRS	110024	S48 or S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
51	BRS	344	S50 and (flat cable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
52	BRS	95	S50 and (flat cable) and motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
53	BRS	1	S52 and((electric brush\$4) or (brush electrode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	BRS	1	S52 and ((electric brush\$4) or (brush electrode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	BRS	86	S52 and @ad < "20030503"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	BRS	1	(flat cable) with (electric wire) with ((metal or steel) wire)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	BRS	2	(flat cable) same (electric wire) same ((metal or steel) wire)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	BRS	0	(flat casing) same (electric wire) same ((metal or steel) wire)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	BRS	0	(flat cord) same (electric wire) same ((metal or steel) wire)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	BRS	15	(flat cable) and (electric wire) and ((metal\$4 or steel) wire)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
61	BRS	30	("0587764"   "0715313"   "1209096"   "1943086"   "1943087"   "2938821"   "2973552"   "2978530"   "3288916"   "3457718"   "3501728"   "3516859"   "3659038"   "3681510"   "3687748"   "3823542"   "3872660").PN.	US-PGPUB; USPAT; USOCR
62	BRS	15	("4439256").URPN.	USPAT
63	BRS	43	(flat (cable or cord)) and (electric\$4 wire) and ((metal or steel) wire)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	BRS	0	20-0279728	JPO; DERWENT; IBM_TDB
65	BRS	0	KR-20-0279728	JPO; DERWENT; IBM_TDB
66	BRS	0	KR-200279728	JPO; DERWENT; IBM_TDB
67	BRS	0	KR-2000279728	JPO; DERWENT; IBM_TDB
68	BRS	1	DE-29807516-\$.did.	EPO; DERWENT
69	BRS	2	JP-06135432-\$.DID.	EPO; JPO; DERWENT; IBM_TDB
70	BRS	0	(flat cable) and (conduct\$5 wires) and (stainless steel rope or cord)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
71	BRS	0	(flat cable) and (conduct\$5 wires) and (stainless steel (rope or cord))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
72	BRS	0	(flat cable) and (elect\$3 conductor) and (stainless steel (rope or cord))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
73	BRS	14963	(flat cable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
74	BRS	20	(flat cable) and (stainless steel (rope or cord or wire))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
75	BRS	0	(electrical (flat cable)) and (stainless steel (rope or cord or wire))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
76	BRS	0	\$73 and conduct\$4 and (stainless steel (rope or cord))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
77	BRS	3	\$73 and conduct\$4 and ( steel (rope or cord))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
78	BRS	21	S73 and "PVC" and (stainless steel) and (live or conduct\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
79	BRS	44	("1703005"   "2496279"   "2820085"   "3349359"   "3385959"   "3627981"   "3657516"   "3774299"   "3808403"   "3825870"   "3935422"   "4051094"   "4149066"   "4250397"   "4309596"   "4523086"   "4538054"   "4607154"   "4713531"   "4742212"   "4764665"   "4792662"   "4825049"   "4969840"   "4983814"   "5023433"   "5068518"   "5298722"   "5412181"   "5643480"   "5801914"   "5824996"   "5912811"   "6031214"   "6078025"   "6288372"   "6300598"   "6310332"   "6737610").PN.	US-PGPUB; USPAT; USOCR
80	BRS	0	("6958463").URPN.	USPAT
81	BRS	0	S73 and "PVC" and (steel wire rope) and (conducting wires)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
82	BRS	0	S73 and (steel wire rope) and (conducting wires)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
83	BRS	0	S73 and (steel wire rope) and (conducting wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
84	BRS	2	S73 and (steel wire rope) and ((live or electric\$4) wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
85	BRS	2850	362/418,422,428,433,449,457,458.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
86	BRS	271	187/413.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
87	BRS	157	242/390.9.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
88	BRS	3278	S85 or S86 or S87	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
89	BRS	57	S88 and (ceiling or overhead) (light or lamp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB



	Type	Hits	Search Text	DBs
90	BRS	47	S88 and (ceiling or over near head) (light or lamp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
91	BRS	323	S88 and (ceiling or (over near head) (light or lamp))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
92	BRS	38	S88 and (ceiling or (over near head) (light or lamp)) and motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
93	BRS	1928	362/391,404,407,428.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
94	BRS	353	"191/12".2A.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
95	BRS	2281	S93 or S94	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
96	BRS	111	S95 and (ceiling or overhead) (light or lamp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
97	BRS	1957	362/391,404,407,428.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
98	BRS	353	"191/12".2A.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
99	BRS	2310	S97 or S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
100	BRS	115	S99 and (ceiling or overhead) (light or lamp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
101	BRS	2882	362/418,422,428,433,449,457,458.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
102	BRS	271	187/413.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
103	BRS	159	242/390.9.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
104	BRS	3312	S101 or S102 or S103	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
105	BRS	63	\$104 and (ceiling or overhead) (light or lamp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
106	BRS	0	((auto lift light\$4) and (flat cable) and (passage hole) and (insertion hole) and (winding core) and (lever with center with connect\$4 with (ballast box))).clm.	US-PGPUB